Contents to volume 229

Discussion Letter

Applications of a CP-II model to excitation transfer experiments on light-harvesting chlorophyll *a*/*b*-protein complexes (FEB 05599) *S. Lin, R.S. Knox* 1

Hypothesis

Do DNA polymerases δ and α act coordinately as leading and lagging strand replicases? (FEB 05602) *F. Focher, E. Ferrari, S. Spadari, U. Hübscher* 6

Research Letters

Polypeptide composition of light-harvesting complexes from some brown algae and diatoms (FEB 05604) *L. Caron, R. Remy, C. Berkaloff* 11

The redox potential of the primary quinone Q_A of bacterial photosynthesis is independent of the divalent metal ion (FEB 05613) *S.K. Buchanan, G.C. Dismukes, R.C. Prince* 16

A monoclonal antibody to Clq which appears to interact with $C\bar{1}r_2C\bar{1}s_2$-binding site (FEB 05597) *L. Hsiung, A.W. Dodds, D.W. Mason, K.B.M. Reid* 21

Mitochondrial protein import: differential recognition of various transport intermediates by antibodies (FEB 05607) *T. Söllner, N. Pfanner, W. Neupert* 25

Electroporation: high frequency of occurrence of a transient high-permeability state in erythrocytes and intact yeast (FEB 05608) *J.C. Weaver, G.I. Harrison, J.G. Bliss, J.R. Mourant, K.T. Powell* 30

Glucose transporters in chromaffin cells: subcellular distribution and characterization (FEB 05612) *E.G. Delicado, M. Torres, M.T. Miras-Portugal* 35

Inhibition of the H^+-ATPase in bovine adrenal chromaffin granule ghosts by diethylstilbestrol: Evidence for a tight coupling between ATP hydrolysis and proton translocation (FEB 05596) *M. Grønberg, T. Flatmark* 40

$(Ca^{2+} + Mg^{2+})$-dependent ATPase mRNA from smooth muscle sarcoplasmic reticulum differs from that in cardiac and fast skeletal muscles (FEB 05603) *D. de la Bastie, C. Wisnewsky, K. Schwartz, A.-M. Lompré* 45

Stimulation and inhibition of human platelet membrane high-affinity GTPase by neomycin (FEB 05594) *E. Herrmann, K.H. Jakobs* 49

Formation of the high-affinity agonist state of the α_1-adrenergic receptor at cold temperatures does not require a G-protein (FEB 05593) *C.J. Lynch, S.J. Taylor, J.A. Smith, J.H. Exton* 54

Two-chain structure of the interleukin 1 receptor (FEB 05600) *R. Kroggel, M. Martin, V. Pingoud, J.M. Dayer, K. Resch* 59

Complementary DNA and derived amino acid sequence of the precursor of one of the three protein components of the inter-α-trypsin inhibitor complex (FEB 05610) *W. Gebhard, T. Schreitmüller, K. Hochstrasser, E. Wachter* 63

Primary structure of the site on bovine hormone-sensitive lipase phosphorylated by cyclic AMP-dependent protein kinase (FEB 05601) *A.J. Garton, D.G. Campbell, P. Cohen, S.J. Yeaman* 68

Psoralen photofootprinting of protein-binding sites on DNA (FEB 05595) *W. Zhen, C. Jeppesen, P.E. Nielsen* 73

Molecular cloning and expression in *E. coli* of a *Salmonella typhi* porin gene (FEB 05615) *I. Zaror, I. Gómez, G. Castillo, A. Yudelevich, A. Venegas* 77

The importance of the phenyl-tropolone '*aS*' configuration in colchicine's binding to tubulin (FEB 05616) *H.J.C. Yeh, M. Chrzanowska, A. Brossi* 82

Interaction of site specific hirudin variants with α-thrombin (FEB 05618) *J. Dodt, S. Köhler, A. Baici* 87

Published by Elsevier Science Publishers B.V. (Biomedical Division)
00145793/88/$3.50 © 1988 Federation of European Biochemical Societies

Regulation of fructose 2,6-bisphosphate levels in cold-acclimated brown adipose tissue of rat (FEB 05598) *F. Sobrino, A. Gualberto, E. Pintado* 91
A model for the molecular mechanism of interfacial activation of phospholipase A_2 supporting the substrate theory (FEB 05605) *T. Thuren* 95
Tissue plasminogen activator mRNA in murine tissues (FEB 05611) *R.J. Rickles, S. Strickland* 100
Further analysis of cDNA clones for maize phospho*enol*pyruvate carboxylase involved in C_4 photosynthesis: Nucleotide sequence of entire open reading frame and evidence for polyadenylation of mRNA at multiple sites in vivo (FEB 05591) *S. Yanagisawa, K. Izui, Y. Yamaguchi, K. Shigesada, H. Katsuki* 107
The amino acid sequence of a cereal Bowman-Birk type trypsin inhibitor from seeds of Jobs' tears (*Coix lachryma-jobi* L.) (FEB 05609) *M.B. Ary, P.R. Shewry, M. Richardson* 111
Similarity of protein conformation at low pH and high temperature observed for B-chains of two plant toxins: ricin and mistletoe lectin 1 (FEB 05590) *T.L. Bushueva, A.G. Tonevitsky* 119
Trapping the fast-refolding state of ribonuclease A at subzero temperatures (FEB 05630) *A.L. Fink, W.D. Anderson, L. Antonino* 123
The fluorescence intensity of the lipophilic probe *N*-phenyl-1-naphthylamine responds to the oxidation-reduction state of purified *Escherichia coli* cytochrome *o* incorporated into phospholipid vesicles (FEB 05626) *E.G. Sedgwick, P.D. Bragg* 127
Block of light responses of salamander rods by pertussis toxin and reversal by nicotinamide (FEB 05621) *G. Falk, R.A. Shiells* 131
Chloramphenicol-induced stabilization of light-harvesting complexes in thylakoids during development (FEB 05629) *G. Tzinas, J. Argyroudi-Akoyunoglou* 135
Respiration driven Cl^- uptake by submitochondrial particles (FEB 05622) *J.G. Comerford, A.P. Dawson, M.J. Selwyn* 142
A 5 kb intergenic region containing *ori1* in the mitochondrial DNA of *Saccharomyces cerevisiae* is dispensable for expression of the respiratory phenotype (FEB 05632) *J. Piškur* 145
Immunological studies on the respiratory burst oxidase of pig blood neutrophils (FEB 05619) *Y. Fukuhara, Y. Ise, K. Kakinuma* 150
Inactivation of tissue inhibitor of metalloproteinases by neutrophil elastase and other serine proteinases (FEB 05631) *Y. Okada, S. Watanabe, I. Nakanishi, J. Kishi, T. Hayakawa, W. Watorek, J. Travis, H. Nagase* 157
Phorbol ester-induced protein kinase C translocation and lysosomal enzyme release in normal and cystic fibrosis fibroblasts (FEB 05627) *B. Hermelin, G. Cherqui, F. Bertrand, D. Wicek, A. Paul, I. Garcia, J. Picard* 161
Calcium-dependent KEX2-like protease found in hepatic secretory vesicles converts proalbumin to albumin (FEB 05620) *S.O. Brennan, R.J. Peach* 167
The disulfide bridges of the immunoreactive forms of human pancreatic stone protein isolated from pancreatic juice (FEB 05592) *P. Rouimi, J. de Caro, J. Bonicel, M. Rovery, A. de Caro* 171
Truncated glucagon-like peptide-1 (proglucagon 78–107 amide), an intestinal insulin-releasing peptide, has specific receptors on rat insulinoma cells (RIN 5AH) (FEB 05644) *C. Ørskov, J.H. Nielsen* 175
The identification of T_2; the phosphate/pyrophosphate transport protein of the hepatic microsomal glucose-6-phosphatase system (FEB 05628) *I.D. Waddell, J.G. Lindsay, A. Burchell* 179
Influence of fibroblast growth factor on phosphorylation and activity of a 34 kDa lipocortin-like protein in bovine epithelial lens cells (FEB 05623) *P.R. Blanquet, S. Paillard, Y. Courtois* 183
Polyunsaturated fatty acids alter sterol transbilayer domains in LM fibroblast plasma membrane (FEB 05637) *W.D. Sweet, F. Schroeder* 188
Plasma membrane transglutaminase and cytosolic transglutaminase form distinct envelope-like structures in transformed human keratinocytes (FEB 05643) *R. Schmidt, S. Michel, B. Shroot, U. Reichert* 193
Proteins from the prokaryotic nucleoid: Interaction of nucleic acids with the 15 kDa *Escherichia coli* histone-like protein H-NS (FEB 05642) *K. Friedrich, C.O. Gualerzi, M. Lammi, M.A. Losso, C.L. Pon* 197

Stimulation and partial stabilization of human histidyl-tRNA synthetase by hemoglobin (FEB 05633) *T. Biswas, F.W. Miller, P.H. Plotz* 203
Molecular cloning and amino acid sequence of human enkephalinase (neutral endopeptidase) (FEB 05639) *B. Malfroy, W.-J. Kuang, P.H. Seeburg, A.J. Mason, P.R. Schofield* 206
Heparin inhibits IP_3-induced Ca^{2+} release in permeabilized pancreatic β-cells (FEB 05640) *T. Nilsson, J. Zwiller, A.L. Boynton, P.-O. Berggren* 211
Occurrence and possible roles of acetoacetyl-CoA thiolase and 3-ketoacyl-CoA thiolase in peroxisomes of an *n*-alkane-grown yeast, *Candida tropicalis* (FEB 05638) *T. Kurihara, M. Ueda, A. Tanaka* 215
Parallel measurement of oxoglutarate dehydrogenase activity and matrix free Ca^{2+} in fura-2-loaded heart mitochondria (FEB 05636) *G.L. Lukács, A. Kapus, A. Fonyó* 219
The mitochondrial ATP synthase inhibitor protein binds near the C-terminus of the F_1 β-subunit (FEB 05625) *P.J. Jackson, D.A. Harris* 224

Notes to Authors 229

FEBS News

A FEBS Advanced Course 1988 231

Minireview

Galanin and the endocrine pancreas (FEB 05606) *B. Ahrén, P. Rorsman, P.-O. Berggren* 233

Research Letters

Calmodulin- and protein phosphorylation-independent release of catecholamines from PC-12 cells (FEB 05653) *H.J.G. Matthies, H.C. Palfrey, R.J. Miller* 238
2-Mercaptoethylamine, a competitive inhibitor of spermidine synthase in mammalian cells (FEB 05645) *H. Hibasami, M. Kawase, T. Tsukada, S. Maekawa, M. Sakurai, K. Nakashima* 243
Stimulation of hepatic T-kininogen production by interferon (FEB 05647) *N. Itoh, K. Yayama, H. Okamoto* 247
^{125}I-d$(CH_2)_5$[Tyr(Me)^2,Tyr$(NH_2)^9$]AVP: iodination and binding characteristics of a vasopressin receptor ligand (FEB 05651) *J. Elands, C. Barberis, S. Jard, B. Lammek, M. Manning, W.H. Sawyer, E.R. de Kloet* 251
Isolation and characterization of complementary DNAs encoding human manganese-containing superoxide dismutase (FEB 05679) *Y.-S. Ho, J.D. Crapo* 256
Adenosine di-, tri- and tetraphosphopyridoxals modify the same lysyl residue at the ATP-binding site in adenylate kinase (FEB 05648) *T. Yagami, M. Tagaya, T. Fukui* 261
A new strategy for primary structure determination of proteins: application to bovine β-casein (FEB 05641) *C. Carles, J.-C. Huet, B. Ribadeau-Dumas* 265
Complete cDNA sequence of a *Dictyostelium* ubiquitin with a carboxy-terminal tail and identification of the protein using an anti-peptide antibody (FEB 05650) *A. Müller-Taubenberger, M. Westphal, E. Jaeger, A. Noegel, G. Gerisch* 273
Expression of human leukotriene A_4 hydrolase cDNA in *Escherichia coli* (FEB 05649) *M. Minami, Y. Minami, Y. Emori, H. Kawasaki, S. Ohno, K. Suzuki, N. Ohishi, T. Shimizu, Y. Seyama* 279
The bacteriophage Mu transposase protein can form high-affinity protein-DNA complexes with the ends of transposable elements of the Tn *3* family (FEB 05658) *R.K. Cameron, A.M. Jarjour, P.P. Tolias, M.S. DuBow* 283
Inside-out plant plasma membrane vesicles of high purity obtained by aqueous two-phase partitioning (FEB 05654) *C. Larsson, S. Widell, M. Sommarin* 289
Characterization of an isolated chloroplast membrane Fe-S protein and its identification as the photosystem I Fe-S_A/Fe-S_B binding protein (FEB 05656) *R.M. Wynn, R. Malkin* 293

Modes of action of uncouplers in thylakoids: I. Proton conduction characteristics (FEB 05646) *M. Schönfeld, H. Schickler* 298
Energy coupling to ATP synthesis and pyridine nucleotide transhydrogenase in chromatophores from photosynthetic bacteria: A 'dual-consumer' test for localised interactions with electron transport components (FEB 05614) *N.P.J. Cotton, J.B. Jackson* 303
Determination of the H^+/ATP ratio of the H^+ transport-coupled reversible chloroplast ATPase reaction by equilibrium studies (FEB 05657) *H. Strotmann, D. Lohse* 308
Counterions and the bacteriorhodopsin proton pump (FEB 05663) *A. Dér, R. Tóth-Boconádi, L. Keszthelyi* 313
Determination of three-dimensional structures of proteins from interproton distance data by hybrid distance geometry-dynamical simulated annealing calculations (FEB 05624) *M. Nilges, G.M. Clore, A.M. Gronenborn* 317
NAD^+ stimulated the spermidine-dependent hypusine formation on the 18 kDa protein in cytosolic lysates derived from NB-15 mouse neuroblastoma cells (FEB 05664) *K.Y. Chen, Q.P. Dou* 325
The tissue dependent expression of hamster P-glycoprotein genes (FEB 05659) *F. Baas, P. Borst* 329
Integration and loss of a single *v-Ki-ras* gene affects tumorigenic potential of human osteosarcoma cells (FEB 05660) *G. Carloni, A.-M. Venuat, L. Daya-Grosjean, P. Nardeux, J.S. Rhim, B. Azzarone* 333
Ectoenzymes of the kidney microvillar membrane: Aminopeptidase P is anchored by a glycosyl-phosphatidylinositol moiety (FEB 05617) *N.M. Hooper, A.J. Turner* 340
Bisfunction of propionic acid on purified rat liver β-ureidopropionase (FEB 05674) *M. Kikugawa, S. Fujimoto, C. Mizota, N. Tamaki* 345
Binding of tissue-specific factors to the enhancer sequence of hepatitis B virus (FEB 05678) *H.-W. Chou, D. Harrell, R. Forough, K. Watabe* 349
Direct photoaffinity labeling of the putative sulfonylurea receptor in rat β-cell tumor membranes by [^{3}H]glibenclamide (FEB 05665) *W. Kramer, R. Oekonomopulos, J. Pünter, H.-D. Summ* 355
Histidine 64 is not required for high CO_2 hydration activity of human carbonic anhydrase II (FEB 05668) *C. Forsman, G. Behravan, B.-H. Jonsson, Z. Liang, S. Lindskog, X. Ren, J. Sandström, K. Wallgren* 360
Conformational change in thrombospondin induced by removal of bound Ca^{2+}: A spin label approach (FEB 05677) *J.M.K. Slane, D.F. Mosher, C.-S. Lai* 363
Resonance Raman evidence for an unusually strong exogenous ligand–metal bond in a monomeric nitrosyl manganese hemoglobin (FEB 05676) *S.-H. Lin, N.-T. Yu, K. Gersonde* 367
Adsorption of cytochrome *c* to phospholipid monolayers studied by reflection spectroscopy (FEB 05672) *Z. Kozarac, A. Dhathathreyan, D. Möbius* 372
Iron- and manganese-containing superoxide dismutases can be distinguished by analysis of their primary structures (FEB 05667) *M.W. Parker, C.C.F. Blake* 377
Sequence of the gene encoding phosphoglycerate mutase from *Saccharomyces cerevisiae* (FEB 05669) *M.F. White, L.A. Fothergill-Gilmore* 383
The ribosomes of *Aspergillus giganteus* are sensitive to the cytotoxic action of α-sarcin (FEB 05666) *S.P. Miller, J.W. Bodley* 388
A unique mRNA species for a regulatory subunit of cAMP-dependent protein kinase is specifically induced in haploid germ cells (FEB 05673) *O. Øyen, J.D. Scott, G.G. Cadd, G.S. McKnight, E.G. Krebs, V. Hansson, T. Jahnsen* 391

Author Index 395

Table of Contents 401

Notes to Authors 405

FEBS News

A FEBS Advanced Course 1988 407